


Schweißtechnik von Profis - für Profis...

Produktkatalog "Plasmaschneiden"



Serie ZETA® NO HF

	CODE		Ø		STARTER KIT					PCS X 	 X 
					PT1042	PT1062	PT1082	PT1112	PT1132		
					40 A	60 A	80 A	110 A	130 A		
1	CV0373P				•	•				1	2
1	CV0374P						•			1	2
1	CV0367P							•	•	1	2
2	PC0360P				•	•	•	•	•	1	2
3	PD0365P09				•					5	2
3	PD0365P11					•				5	2
3	PD0365P12						•			5	2
3	PD0364P15							•		5	2
3	PD0363P17								•	5	2
4	PE0361P				•	•	•	•	•	1	2
5	PR0360P				•	•	•			5	2
5	PR0361P							•	•	5	2
6	FH1602P				•	•	•	•	•	1	2

	CODE			
7	EA1920			
7	PF0360			
8	BX0910			
8	PT0361			
8	PT0362			
9	TP0360			1
10	PH0908-06		6m - 1/4 G	1
10	PH0908-08		7,6m - 1/4 G	1
10	PH0908-15		15m - 1/4 G	1
11	BW0147		cable support	1
11	FY0043		Central Adaptor	1
12	FY0090		TRAFIMECTOR®	1

	CODE	GOUGING	40 A	60 A	80 A	110 A	130 A	PCS X 	 X 
1	CV0370P		•	•	•			1	2
1	CV0371P					•		1	2
1	CV0372P						•	1	2
3	PD0370P16		•	•				5	2
3	PD0370P18				•			5	2
3	PD0370P20					•		5	2
3	PD0370P22						•	5	2

PLASMA CUTTING

Serie ZETA[®] AUTO HF



CE EN60974-7


CODE	↔	PA
------	---	----

PAH005P-000-PA3	4,6 m	15'	
PAH008P-000-PA3	7,6 m	25'	
PAH011P-000-PA3	10,7 m	35'	
PAH015P-000-PA3	15,2 m	50'	

1/4 GAS

PAH005P-019-PA3	4,6 m	15'	
PAH008P-019-PA3	7,6 m	25'	
PAH011P-019-PA3	10,7 m	35'	
PAH015P-019-PA3	15,2 m	50'	


CENTRAL

PAH005P-319-PA3	4,6 m	15'	
PAH008P-319-PA3	7,6 m	25'	
PAH011P-319-PA3	10,7 m	35'	
PAH015P-319-PA3	15,2 m	50'	

TRAFIMECTOR[®]

TECHNICAL DATA					
----------------	--	--	--	--	--

HF	40 A	60 A	80 A	110 A	130 A
	0,4 kg	0,4 kg	0,4 kg	0,4 kg	0,4 kg
	0,88 lb	0,88 lb	0,88 lb	0,88 lb	0,88 lb
V PEAK	500	500	500	500	500
	5 bar	5 bar	5 bar	5 bar	5 bar
	110 l/m	120 l/min	140 l/min	155 l/m	180 l/m
X 60%	40A	60A	80A	110A	130A
X 100%	30A	45A	65A	85A	105A
	15 mm	25 mm	32 mm	40 mm	45 mm
	3/5"	1"	1 1/4"	1 3/5"	1 3/4"



SPARE PARTS
NOT INCLUDED



Serie ZETA® AUTO HF

	CODE		Ø		STARTER KIT					PCS X	X
					PT1043	PT1063	PT1083	PT1113	PT1133		
					40 A	60 A	80 A	110 A	130 A		
1	CV0368P				•	•	•			1	2
1	CV0366P							•	•	1	2
2	PC0360P				•	•	•	•	•	1	2
3	PD0365P09				•					5	2
3	PD0365P11					•				5	2
3	PD0365P12						•			5	2
3	PD0364P15							•		5	2
3	PD0363P17								•	5	2
4	PE0361P				•	•	•	•	•	1	2
5	PR0360P				•	•	•			5	2
5	PR0361P							•	•	5	2
6	FH1602P				•	•	•	•	•	1	2

	CODE			
7	EA1920			
7	FH0942			
7	PF0371			
8	PT0363			
9	TP0372			1
10	PH0909-05		4,6 m - 1/4 G	1

	CODE			
10	PH0909-08		7,6 m - 1/4 G	1
10	PH0909-11		10,7 m - 1/4 G	1
10	PH0909-15		15,2 m - 1/4 G	1
11	BW0147		cable support	1
11	FY0043		Central Adaptor	1
12	FY0090		TRAFIMECTOR®	1

PLASMA CUTTING

Serie ZETA® BAG CONSUMABLES



MANUAL

	CODE		40 A	60 A	80 A	110 A	130 A	PCS X	PCS X
1	CV0373		•	•				3	90
1	CV0374				•			3	90
1	CV0367					•	•	3	90
2	PC0360		•	•	•	•	•	2	100
3	PD0365-09		•					10	500
3	PD0365-11			•				10	500
3	PD0365-12				•			10	500
3	PD0364-15					•		10	500
3	PD0363-17						•	10	500
4	PE0361		•	•	•	•	•	2	100
5	PR0360		•	•	•			10	500
5	PR0361					•	•	10	500
6	FH1602		•	•	•	•	•	4	100

AUTO

	CODE		40 A	60 A	80 A	110 A	130 A	PCS X	PCS X
1	CV0368		•	•	•			3	90
1	CV0366					•	•	3	90
2	PC0360		•	•	•	•	•	2	100
3	PD0365-09		•					10	500
3	PD0365-11			•				10	500
3	PD0365-12				•			10	500
3	PD0364-15					•		10	500
3	PD0363-17						•	10	500
4	PE0361		•	•	•	•	•	2	100
5	PR0360		•	•	•			10	500
5	PR0361					•	•	10	500
6	FH1602		•	•	•	•	•	4	100

	CODE	GOUGING	40 A	60 A	80 A	110 A	130 A	PCS X	PCS X
1	CV0370		•	•	•			3	90
1	CV0371					•		3	90
1	CV0372						•	3	90
3	PD0370-16		•	•				10	500
3	PD0370-18				•			10	500
3	PD0370-20					•		10	500
3	PD0370-22						•	10	500

PLASMA CUTTING

ERGOCUT S 25K

CE EN60974-7





CODE			
------	--	--	--

PAS004M-095-BB3	4 m	12.5'	 2 WIRES
-----------------	-----	-------	--

PAS004M-096-BB3	4 m	12.5'	 4 WIRES
-----------------	-----	-------	--

TECHNICAL DATA		
----------------	--	--

 NO HF		
 1 m	0,4 kg	0,88 lb
V PEAK	500	
	2 bar	
	31 l/min	
X 35%	20A	
	4÷6 mm	



ERGOCUT S 25K

	CODE		Ø		CONTACT		DRAG		GOUGING	REF	
											
1	CV0024		plasma stand off guide	23,5 mm		33 mm					1
2	PC0117		1 ring			28 mm					4
3	PD0103-09		40 A	0,9 mm	.035"	25,8 mm				-	10
3	PD0103-65		20 A	0,65 mm	.025"	25,8 mm				-	10
3	PD0116-06		20 A	0,6 mm	.023"	17,3 mm				-	10
3	PD0116-08		30 A	0,8 mm	.030"	17,3 mm				-	10
3	PD0116-09		40 A	0,9 mm	.035"	17,3 mm				-	10
4	PE0106		plasma diffuser							-	2
5	PR0106		plasma electrode			30,5 mm					10
5	PR0110		plasma electrode			21,8 mm					10

	CODE		
7	EA0330		10
7	PF0127		plasma torch head 1
8	TP0400		kit trigger 1
9	TP0401		handle kit 1

	CODE		
10	PH4115		4 m - direct 4 wires 1
10	PH4116		4 m - direct 2 wires 1
10	QB0044		cover (mt) 100

STANDARD

 CONTACT SHORT

 CONTACT LONG

 DRAG SHORT

 DRAG LONG

PLASMA CUTTING

ERGOCUT S 35K

CE EN60974-7






CODE			
------	--	--	--

PAS104M-095-BB3	4 m	12.5'	 2 WIRES
-----------------	-----	-------	--

PAS104M-096-BB3	4 m	12.5'	 4 WIRES
-----------------	-----	-------	--

TECHNICAL DATA		
----------------	--	--

 NO HF		
 1 m	0,4 kg	0,88 lb
V PEAK	500	
 2.5 bar		
 60 l/min		
X 35%	32A	
 6÷8 mm		



ERGOCUT S 35K

	CODE		Ø		CONTACT		DRAG		GOUGING	REF	
											
1	CV0024		plasma stand off guide	23,5 mm		33 mm					1
2	PC0135		2 rings			28 mm					4
3	PD0103-09		40 A	0,9 mm	.035"	25,8 mm				-	10
3	PD0103-65		20 A	0,65 mm	.025"	25,8 mm				-	10
3	PD0116-06		20 A	0,6 mm	.023"	17,3 mm				-	10
3	PD0116-08		30 A	0,8 mm	.030"	17,3 mm				-	10
3	PD0116-09		40 A	0,9 mm	.035"	17,3 mm				-	10
4	PE0106		plasma diffuser							-	2
5	PR0106		plasma electrode			30,5 mm					10
5	PR0110		plasma electrode			21,8 mm					10

	CODE		
7	EA0330		10
7	PF0127		plasma torch head 1
8	TP0400		kit trigger 1
9	TP0401		handle kit 1

	CODE		
10	PH4115		4 m - direct 4 wires 1
10	PH4116		4 m - direct 2 wires 1
10	QB0044		cover (mt) 100

STANDARD

 CONTACT SHORT

 CONTACT LONG

 DRAG SHORT

 DRAG LONG

PLASMA CUTTING

ERGOCUT S 25

CE EN60974-7





CODE			
------	--	--	--

PAS204M-095-BB3	4 m	12.5'	 2 WIRES
-----------------	-----	-------	--

TECHNICAL DATA		
----------------	--	--

 NO HF		
 1 m	0,4 kg	0,88 lb
V PEAK	500	
 5 bar	5 bar	
 95 l/min	95 l/min	
X 60%	25A	
 6÷8 mm	6÷8 mm	



ERGOCUT S 25

	CODE				CONTACT		DRAG		GOUGING	REF	
1	CV0024		plasma stand off guide	23,5 mm		33 mm					1
2	PC0116		no ring			28 mm					4
3	PD0103-09		40 A	0,9 mm	.035"	25,8 mm				-	10
3	PD0103-65		20 A	0,65 mm	.025"	25,8 mm				-	10
3	PD0116-06		20 A	0,6 mm	.023"	17,3 mm				-	10
3	PD0116-08		30 A	0,8 mm	.030"	17,3 mm				-	10
3	PD0116-09		40 A	0,9 mm	.035"	17,3 mm				-	10
4	PE0106		plasma diffuser							-	2
5	PR0106		plasma electrode			30,5 mm					10
5	PR0110		plasma electrode			21,8 mm					10

	CODE		
7	EA0330		10
7	PF0127		plasma torch head 1
8	TP0400		kit trigger 1

	CODE		
9	TP0401		handle kit 1
10	PH4116		4 m - direct 2 wires 1
10	QB0044		cover (mt) 100

STANDARD

CONTACT SHORT

CONTACT LONG

DRAG SHORT

DRAG LONG

PLASMA CUTTING



ERGOCUT S 45

CE EN60974-7



CODE			
PAS304M-050-BB3	4 m	12.5'	 1/4 G S
PAS306M-000-BA3	6 m	19.7'	 1/4 GAS
PAS306M-004-BA3	6 m	19.7'	 CENTRAL
PAS306M-304-BA3	6 m	19.7'	 TRAFIMECTOR®

TECHNICAL DATA		
 NO HF		
 1 m	0,4 kg	0,88 lb
V PEAK	500	
	5 bar	
	115 l/min	
X 60%	40A	
	8÷12 mm	



ERGOCUT S 45

	CODE			Ø				CONTACT		DRAG		GOUGING	REF	
1	CV0010		plasma stand off guide			18,5 mm		•					743.0149 0618	10
1	CV0024		plasma stand off guide	23,5 mm		33 mm			•					1
2	PC0116		no ring			28 mm		•	•					4
3	PD0102-08		30 A	0,8 mm	.030"	13,3 mm		•					-	10
3	PD0102-10		50 A	1,0 mm	.040"	13,3 mm		•					-	10
3	PD0103-09		40 A	0,9 mm	.035"	25,8 mm				•			-	10
3	PD0103-65		20 A	0,65 mm	.025"	25,8 mm				•			-	10
3	PD0116-06		20 A	0,6 mm	.023"	17,3 mm			•				-	10
3	PD0116-08		30 A	0,8 mm	.030"	17,3 mm			•				-	10
3	PD0116-09		40 A	0,9 mm	.035"	17,3 mm			•				-	10
4	PE0106		plasma diffuser					•	•				-	2
5	PR0105		plasma electrode			17,8 mm		•						10
5	PR0106		plasma electrode			30,5 mm				•				10
5	PR0110		plasma electrode			21,8 mm			•					10

CODE				
7	EA0330			10
7	PF0127		plasma torch head	1
8	TP0400		kit trigger	1
9	TP0401		handle kit	1

CODE				
10	PH4127		6 m - 1/4 G	1
11	FY0023		central adaptor	1
12	FY0090		TRAFIMECTOR®	1
13	PH4148		4 m - 1/4 G S	1

STANDARD

CONTACT SHORT

CONTACT LONG

DRAG SHORT

DRAG LONG

PLASMA CUTTING



ERGOCUT S 65

CE EN60974-7



CODE			
PAS406M-000-BA3	6 m	19.7'	 1/4 GAS
PAS406M-004-BA3	6 m	19.7'	 CENTRAL
PAS406M-304-BA3	6 m	19.7'	 TRAFIMECTOR®

TECHNICAL DATA		
 NO HF		
 1 m	0,4 kg	0,88 lb
V PEAK	500	
	4 bar	
	100 l/min	
X 60%	60A	
	8÷20 mm	



PLASMA CUTTING



ERGOCUT S 105



CE EN60974-7

CODE			
PAS606M-000-BA3	6 m	19.7'	 1/4 GAS
PAS606M-004-BA3	6 m	19.7'	 CENTRAL
PAS606M-304-BA3	6 m	19.7'	 TRAFIMECTOR®

TECHNICAL DATA		
 NO HF		
 1 m	0,7 kg	1.54 lb
V PEAK	500	
	5 bar	
	180 l/min	
X 60%	100A	
X 100%	70A	
	25÷30 mm	



PLASMA CUTTING



ERGOCUT S 125



CE EN60974-7

CODE			
PAS706M-000-BA3	6 m	19.7'	 1/4 GAS
PAS706M-004-BA3	6 m	19.7'	 CENTRAL
PAS706M-304-BA3	6 m	19.7'	 TRAFIMECTOR®

TECHNICAL DATA		
 NO HF		
 1 m	0,7 kg	1.54 lb
V PEAK	500	
	5 bar	
	180 l/min	
X 60%	120A	
X 100%	90A	
	10÷35 mm	



ERGOCUT S 125

	CODE			Ø				CONTACT		DRAG		GOUGING	REF	
1	CV0229		plasma stand off guide			35,2 mm		•						2
2	PC0179		long life			39,5 mm		•						2
3	PD0179-13		80 A	1,3 mm	0.51"	20 mm		•					-	10
3	PD0179-14		100 A	1,4 mm	.052"	20 mm		•					-	10
3	PD0179-15		120 A	1,5 mm	.059"	20 mm		•					-	10
4	PE0179		plasma diffuser			12,6 mm		•					-	2
5	PR0179		plasma electrode			24,6 mm		•						10
6	FH0979							•						10

	CODE			
7	EA0223			10
7	PF0138		plasma torch head	1
8	TP0400		kit trigger	1
9	TP0402		handle kit	1

	CODE			
10	PH4103		6 m - 1/4 G	1
11	CY0002		cable support	1
11	FY0023		central adaptor	1
12	FY0090		TRAFIMECTOR®	1

STANDARD

CONTACT SHORT CONTACT LONG DRAG SHORT DRAG LONG

ERGOCUT S 125 DRAG

	CODE		Ø		CONTACT		DRAG		GOUGING	REF	
											
1	CV0279		plasma stand off guide						•		2
2	PC0279								•		2
3	PD0279-13		80 A	1,3 mm	.051"	29 mm			•	-	10
3	PD0279-15		120 A	1,5 mm	.059"	29 mm			•	-	10
4	PE0179		plasma diffuser			12,6 mm			•	-	2
5	PR0279		plasma electrode			33,6 mm			•		10
6	FH0980								•		10

	CODE			
7	EA0223			10
7	PF0138		plasma torch head	1
8	TP0400		kit trigger	1
9	TP0402		handle kit	1

	CODE			
10	PH4103		6 m - 1/4 G	1
11	CY0002		cable support	1
11	FY0023		Plasma central adaptor, torch side -Air	1
12	FY0090		TRAFIMECTOR®	1

STANDARD

 CONTACT SHORT

 CONTACT LONG

 DRAG SHORT

 DRAG LONG

PLASMA CUTTING

ERGOCUT A 51



CE EN60974-7



CODE			
PA1430	4 m	12.5'	
PA1435	6 m	19.7'	

1/8 GAS

TECHNICAL DATA		
 HF		
 1 m	0,4 kg	0,88 lb
V PEAK	500	
	5 bar	
	165 l/min	
X 60%	50A	
X 100%	40A	
	10÷15 mm	



PLASMA CUTTING




ERGOCUT A 81



CE EN60974-7

CODE			
PAA106M-000-BA3	6 m	19.7'	 1/4 GAS
PAA106M-071-BA3	6 m	19.7'	 3/8 GAS
PAA106M-004-BA3	6 m	19.7'	 CENTRAL
PAA106M-304-BA3	6 m	19.7'	 TRAFIMECTOR®

TECHNICAL DATA		
 HF		
 1 m	0,6 kg	1,32 lb
V PEAK	500	
	5 bar	
	155 l/min	
X 60%	80A	
X 100%	60A	
	20÷25 mm	



PLASMA CUTTING



ERGOCUT A 101



CE EN60974-7

CODE			
PAA206M-000-BA3	6 m	19.7'	 1/4 GAS
PAA206M-004-BA3	6 m	19.7'	 CENTRAL
PAA206M-082-BA3	6 m	19.7'	 M14x1
PAA206M-304-BA3	6 m	19.7'	 TRAFIMECTOR®

TECHNICAL DATA		
 HF		
 1 m	0,8 kg	1,76 lb
V PEAK	500	
 5 bar		
 180 l/min		
X 60%	100A	
X 100%	75A	
 25÷30 mm		



PLASMA CUTTING



ERGOCUT A 141

CE EN60974-7



CODE			
PAA306M-000-BA3	6 m	19.7'	1/4 GAS
PAA306M-004-BA3	6 m	19.7'	CENTRAL
PAA306M-082-BA3	6 m	19.7'	M14x1
PAA306M-304-BA3	6 m	19.7'	TRAFIMECTOR®

TECHNICAL DATA		
HF		
1 m	1,1 kg	2,43 lb
V PEAK	500	
5 bar		
210 l/min		
X 60%	140A	
X 100%	100A	
35÷40 mm		



PLASMA CUTTING



ERGOCUT A 151

CE EN60974-7



CODE			
PAA406M-000-BA3	6 m	19.7'	 1/4 GAS
PAA406M-004-BA3	6 m	19.7'	 CENTRAL
PAA406M-082-BA3	6 m	19.7'	 M14x1
PAA406M-304-BA3	6 m	19.7'	 TRAFIMECTOR®

TECHNICAL DATA		
 HF		
 1 m	1,1 kg	2,43 lb
V PEAK	500	
 5 bar		
 230 l/min		
X 60%	150A	
X 100%	120A	
 35÷40 mm		



PLASMA CUTTING

ERGOCUT CB 50

CE EN60974-7





CODE			
------	--	--	--

PAE006M-060-BA3	6 m	19.7'	 1/8 GAS
-----------------	-----	-------	--

PAE006M-001-BA3	6 m	19.7'	 CENTRAL
-----------------	-----	-------	--

TECHNICAL DATA		
----------------	--	--

 HF		
 1 m	0,6 kg	1,32 lb
V PEAK	500	
	5 bar	
	165 l/min	
X 60%	50A	
X 100%	40A	
	10÷15 mm	



PLASMA CUTTING

ERGOCUT CB 70

CE EN60974-7





CODE			
------	--	--	--

PAE106M-060-BA3	6 m	19.7'	 1/8 GAS
-----------------	-----	-------	--

PAE106M-001-BA3	6 m	19.7'	 CENTRAL
-----------------	-----	-------	--

TECHNICAL DATA		
----------------	--	--

 HF		
 1 m	0,6 kg	1,32 lb
V PEAK	500	
 5 bar		
 170 l/min		
X 60%	70A	
X 100%	50A	
 18÷24 mm		



ERGOCUT CB 70

	CODE			Ø			CONTACT				DRAG		GOUGING	REF	
1	CV0010		Stand off guide			18,5 mm	•							743.0149 0618	10
1	CV0073		plasma stand off guide	24,2 mm		31 mm		•							1
1	CV1117		plasma stand off guide			26 mm			•					1405	2
2	PC0032					31,5 mm	•	•	•	•				5710171	2
3	PD0063-10		50 A	1,0 mm	.040"	26,8 mm				•					10
3	PD0063-11		60 A	1,1 mm	.043"	26,8 mm				•					10
3	PD0063-12		70 A	1,2 mm	.045"	26,8 mm				•					10
3	PD0085-98		50 A	0,98 mm	.038"	26,2 mm				•				1366	10
3	PD0088-06		20 A	0,65 mm	.025"	12,3 mm	•	•	•						10
3	PD0088-08		40 A	0,8 mm	.030"	12,3 mm	•	•	•						10
3	PD0088-10		50 A	1,0 mm	.040"	12,3 mm	•	•	•					1396	10
3	PD0088-11		60 A	1,1 mm	.043"	12,3 mm	•	•	•						10
3	PD0088-12		70 A	1,2 mm	.045"	12,3 mm	•	•	•					1308	10
4	PE0007		plasma diffuser				•	•	•	•				20101	2
5	CV0081														1
5	PR0063		plasma electrode			17,8 mm	•	•	•					1402	10
5	PR0064		plasma electrode			34,8 mm				•				1403	10
6	FH0211						•	•	•						
6	FH0215									•					

	CODE			
7	EA0201		O-ring included in PE0114	10
7	PF0065		plasma torch head	1
8	TP0400		kit trigger	1
9	TP0403		handle kit	1

	CODE			
10	PH4101		6 m - 1/4 G	1
11	CY0002		cable support	1
11	FY0014		central adaptor	1
13	PH4107		6 m - 1/8 G	1

STANDARD

CONTACT SHORT

CONTACT LONG

DRAG SHORT

DRAG LONG

PLASMA CUTTING

ERGOCUT CB 100



CE EN60974-7



CODE			
------	--	--	--

PAE206M-060-BA3	6 m	19.7'	 1/8 GAS
-----------------	-----	-------	--

PAE206M-003-BA3	6 m	19.7'	 CENTRAL
-----------------	-----	-------	--

TECHNICAL DATA		
----------------	--	--

 HF		
 1 m	0,8 kg	1,76 lb
V PEAK	500	
	5 bar	
	180 l/min	
X 60%	100A	
X 100%	70A	
	24÷30 mm	



PLASMA CUTTING

ERGOCUT CB 150

CE EN60974-7





CODE			
------	--	--	--

PAE306M-060-BA3	6 m	19.7'	 1/8 GAS
-----------------	-----	-------	--

PAE306M-003-BA3	6 m	19.7'	 CENTRAL
-----------------	-----	-------	--

TECHNICAL DATA		
----------------	--	--

 HF		
 1 m	0,8 kg	1,76 lb
V PEAK	500	
 5 bar		
 200 l/min		
X 60%	150A	
X 100%	110A	
 35÷40 mm		



PLASMA CUTTING

PLASMA CB 70

CE EN60974-7





CODE			
------	--	--	--

PA1270	6 m	19.7'	 1/8 GAS
--------	-----	-------	--

PA1272	6 m	19.7'	 CENTRAL
--------	-----	-------	--

TECHNICAL DATA		
----------------	--	--

 HF		
 1 m	0,6 kg	1.43 lb
V PEAK	500	
 5 bar		
 170 l/min		
X 60%	70A	
X 100%	50A	
 18÷24 mm		



PLASMA CUTTING

PLASMA CB 100

CE EN60974-7





CODE			
------	--	--	--

PA1230	6 m	19.7'	 1/8 GAS
--------	-----	-------	--

PA1232	6 m	19.7'	 CENTRAL
--------	-----	-------	--

TECHNICAL DATA		
----------------	--	--

 HF		
 1 m	0,8 kg	1.76 lb
V PEAK	500	
	5 bar	
	180 l/min	
X 60%	100A	
X 100%	70A	
	24÷30 mm	



PLASMA CUTTING

PLASMA CB 100 REMOVABLE INSULATOR



CE EN60974-7



CODE			
------	--	--	--

PA1383	6 m	19.7'	 CENTRAL
--------	-----	-------	--

PA1387	6 m	19.7'	 1/8 GAS
--------	-----	-------	--

TECHNICAL DATA		
----------------	--	--

 HF		
 1 m	0,8 kg	1.76 lb
V PEAK	500	
	5 bar	
	180 l/min	
X 60%	100A	
X 100%	70A	
	24÷30 mm	



PLASMA CB 100 REMOVABLE INSULATOR

	CODE			Ø			CONTACT				DRAG		GOUGING	REF	
1	CV0008		plasma stand off guide			32,5 mm				•				51957	10
1	CV0009		plasma stand off guide			38,6 mm					•				10
1	CV0011		plasma stand off guide			23 mm	•							1386	10
1	CV0012		plasma stand off guide			30 mm		•						1408	2
1	CV0013		plasma stand off guide			33 mm							•	1406	2
1	CV0021		plasma stand off guide	32,8 mm		40,6 mm			•						1
1	CV0038		plasma stand off guide			17 mm				•				51930	10
2	PC0037		long life			44,1 mm	•	•	•				•		2
2	PC0038		long life			43,3 mm				•	•	•			2
3	PD0025-14		100 A	1,4 mm	.052"	34,9 mm					•				10
3	PD0025-16		130 A	1,6 mm	1/16"	34,9 mm					•				10
3	PD0025-18		150 A	1,8 mm	5/64"	34,9 mm					•				10
3	PD0026-11		60 A	1,1 mm	.043"	14,1 mm	•	•	•					1371	10
3	PD0026-13		100 A	1,3 mm	.051"	14,1 mm	•	•	•					1372	10
3	PD0026-16		130 A	1,6 mm	1/16"	14,1 mm	•	•	•					1373	10
3	PD0026-18		150 A	1,8 mm	5/64"	14,1 mm	•	•	•					1374	10
3	PD0026-24		plasma tip	2,4 mm	3/32"	14,1 mm							•		10
3	PD0026-30		plasma tip	3,0 mm	1/8"	14,1 mm							•	1375	10
3	PD0028-13		100 A	1,3 mm	.051"	14 mm				•					10
3	PD0028-16		130 A	1,6 mm	1/16"	14 mm				•					10
3	PD0028-18		150 A	1,8 mm	5/64"	14 mm				•					10
3	PD0030-11		60 A	1,1 mm	.043"	35,7 mm				•				1369	10
4	PE0009		plasma diffuser				•	•	•	•	•	•	•	1377	2
5	PR0034		plasma electrode			22 mm	•	•	•		•		•	1376	10
5	PR0045		plasma electrode			43 mm				•				1517	10
5	PR0245		plasma electrode			43 mm						•			10
6	FH0212											•			10
6	FH0214						•	•	•	•	•		•		10

	CODE			
7	EA0131		O-ring	10
7	FH0842			2
7	PF0085		plasma torch head Ø24	1
8	BX0070		trigger for TP0088	10
9	BW0342		Ø 24 - Ø 28	1
9	TP0088		handle kit	1
10	PH0107		power cable 6 m - 1/4 G	1

	CODE			
10	PH0171		6 m - 1/4 G	1
10	QB0164		cover (m)	100
11	CY0035		cable support	1
11	CY0036		ring	10
11	FY0023		central adaptor	1
13	PH0174		6 m - 1/8 G	1

STANDARD

CONTACT SHORT

CONTACT LONG

DRAG SHORT

DRAG LONG

PLASMA CUTTING

PLASMA CB 100 REMOVABLE INSULATOR

CE EN60974-7





CODE			
------	--	--	--

PA1381	6 m	19.7'	 1/8 GAS
--------	-----	-------	--

PA1382	6 m	19.7'	 CENTRAL
--------	-----	-------	--

TECHNICAL DATA		
----------------	--	--

 HF		
 1 m	0,8 kg	1.76 lb
V PEAK	500	
 5 bar		
 180 l/min		
X 60%	100A	
X 100%	70A	
 24÷30 mm		



PLASMA CUTTING

PLASMA CB 150

CE EN60974-7




CODE			
------	--	--	--

PA1245	6 m	19.7'	 1/8 GAS
--------	-----	-------	--

PA1247	6 m	19.7'	 CENTRAL
--------	-----	-------	--

TECHNICAL DATA		
----------------	--	--

 HF		
 1 m	0,8 kg	1.76 lb
V PEAK	500	
 5 bar		
 200 l/min		
X 60%	150A	
X 100%	110A	
 35÷40 mm		



PLASMA CUTTING

PLASMA CB 150 REMOVABLE INSULATOR



CE EN60974-7


CODE			
------	--	--	--

PA1392	6 m	19.7'	 1/8 GAS
--------	-----	-------	--

PA1393	6 m	19.7'	 CENTRAL
--------	-----	-------	--

TECHNICAL DATA		
----------------	--	--

 HF		
 1 m	0,8 kg	1.76 lb
V PEAK	500	
 5 bar		
 200 l/min		
X 60%	150A	
X 100%	110A	
 35÷40 mm		



PLASMA CUTTING

PLASMA CB 150 REMOVABLE INSULATOR

CE EN60974-7





CODE			
------	--	--	--

PA1395	6 m	19.7'	 1/8 GAS
--------	-----	-------	--

PA1397	6 m	19.7'	 CENTRAL
--------	-----	-------	--

TECHNICAL DATA		
----------------	--	--

 HF		
 1 m	0,8 kg	1.76 lb
V PEAK	500	
	5 bar	
	200 l/min	
X 60%	150A	
X 100%	110A	
	35÷40 mm	



PLASMA CB 150 REMOVABLE INSULATOR

	CODE		Ø	↔	CONTACT				DRAG		GOUGING	REF	
					CONTACT SHORT	CONTACT LONG	DRAG SHORT	DRAG LONG					
1	CV0008		plasma stand off guide									51957	10
1	CV0009		plasma stand off guide										10
1	CV0011		plasma stand off guide									1386	10
1	CV0012		plasma stand off guide									1408	2
1	CV0013		plasma stand off guide									1406	2
1	CV0021		plasma stand off guide	32,8 mm									1
1	CV0038		plasma stand off guide									51930	10
2	PC0002		long life									1389	2
2	PC0034		long life									60350	2
3	PD0025-14		100 A	1,4 mm	.052"	34,9 mm							10
3	PD0025-16		130 A	1,6 mm	1/16"	34,9 mm							10
3	PD0025-18		150 A	1,8 mm	5/64"	34,9 mm							10
3	PD0026-11		60 A	1,1 mm	.043"	14,1 mm							10
3	PD0026-13		100 A	1,3 mm	.051"	14,1 mm							10
3	PD0026-16		130 A	1,6 mm	1/16"	14,1 mm							10
3	PD0026-18		150 A	1,8 mm	5/64"	14,1 mm							10
3	PD0026-24		plasma tip	2,4 mm	3/32"	14,1 mm							10
3	PD0026-30		plasma tip	3,0 mm	1/8"	14,1 mm							10
3	PD0028-13		100 A	1,3 mm	.051"	14 mm							10
3	PD0028-16		130 A	1,6 mm	1/16"	14 mm							10
3	PD0028-18		150 A	1,8 mm	5/64"	14 mm							10
3	PD0030-11		60 A	1,1 mm	.043"	35,7 mm							10
4	PE0009		plasma diffuser									1377	2
5	PR0034		plasma electrode									1376	10
5	PR0045		plasma electrode									1517	10
5	PR0245		plasma electrode										10
6	FH0212												10
6	FH0213												10

	CODE			
7	EA0131		O-ring	10
7	FH0847			
7	PF0090		plasma torch head Ø24	1
8	BX0020		trigger for TP0076	10
9	BW0342		Ø 24 - Ø 28	1
9	TP0076		handle kit	1
10	PH0107		power cable 6 m - 1/4 G	1

	CODE			
10	PH0171		6 m - 1/4 G	1
10	QB0164		cover (m)	100
11	CY0035		cable support	1
11	CY0036		ring	10
11	FY0023		central adaptor	1
13	PH0162		power cable 6 m - 1/8 G	1
13	PH0174		6 m - 1/8 G	1

STANDARD

CONTACT SHORT

CONTACT LONG

DRAG SHORT

DRAG LONG

PLASMA CUTTING

AUTOCUT S 45P



CE EN60974-7




CODE			
------	--	--	--

PA1580	6 m	19.7'	 1/4 GAS
--------	-----	-------	--

PA1581	6 m	19.7'	 CENTRAL
--------	-----	-------	--

TECHNICAL DATA		
----------------	--	--

 NO HF		
	0,6 kg	1,32 lb
V PEAK	500	
	5 bar	
	115 l/min	
X 60%	40A	
	8÷12 mm	



AUTOCUT S 65P

	CODE						CONTACT		REF	
										
2	PC0098					29 mm				2
3	PD0098-08		40 A	0,8 mm	.030"	17,7 mm				10
3	PD0098-10		60 A	1,0 mm	.040"	17,7 mm				10
4	PE0106		plasma diffuser						-	2
5	PR0098		plasma electrode			24,8 mm				10

	CODE			
7	EA0330			10
7	PF0131		plasma torch head	1
7	PT0030		repair kit	1
9	TP0061			1
10	PH0318		6 m - 1/4 G	1

	CODE			
10	PH1292		power cable 6 m - 1/4 G	1
10	QB0096		cover (m)	100
11	BW0073			10
11	FY0023		central adaptor	1

STANDARD

 CONTACT SHORT

 CONTACT LONG

PLASMA CUTTING

AUTOCUT S 75P



CE EN60974-7




CODE			
------	--	--	--

PA1620	6 m	19.7'	 CENTRAL
--------	-----	-------	--

PA1621	6 m	19.7'	 1/4 GAS
--------	-----	-------	--

TECHNICAL DATA		
----------------	--	--

 NO HF		
 1 m	0,6 kg	1,32 lb
V PEAK	500	
	5 bar	
	150 l/min	
X 60%	70A	
X 100%	50A	
	18÷23 mm	



AUTOCUT S 75P

	CODE				CONTACT		REF			
										
2	CV0076		for PC0114							10
2	PC0114		CV0076 included			39,5 mm				2
3	PD0114-10		50 A	1,0 mm	.040"	18,6 mm			-	10
3	PD0114-12		70 A	1,2 mm	.045"	18,6 mm			-	10
4	PE0112		plasma diffuser						-	2
5	CV0080									1
5	PR0117		plasma electrode			23,7 mm				10
6	FH0647									10

	CODE			
7	EA0223			10
7	PF0134		plasma torch head	1
7	PT0030		repair kit	1
9	TP0061			1
10	PH0132		6 m - 1/4 G	1

	CODE			
10	PH0207		power cable 6 m - 1/4 G	1
10	QB0097		cover (mt)	100
11	CY0002		cable support	1
11	FY0023		central adaptor	1


STANDARD

CONTACT SHORT

CONTACT LONG

AUTOCUT S 105P

	CODE						CONTACT		REF	
										
2	PC0118		long life			39,5 mm				4
3	PD0119-10		50 A	1,0 mm	.040"	18,7 mm			-	10
3	PD0119-12		70 A	1,2 mm	.045"	18,7 mm			-	10
3	PD0119-14		100 A	1,4 mm	.052"	18,7 mm			-	10
4	PE0112		plasma diffuser						-	2
5	CV0080									1
5	PR0117		plasma electrode			23,7 mm				10
6	FH0647									10

	CODE			
7	EA0223			10
7	PF0137		plasma torch head	1
7	PT0030		repair kit	1
9	TP0061			1
10	PH0132		6 m - 1/4 G	1

	CODE			
10	PH0207		power cable 6 m - 1/4 G	1
10	QB0097		cover (mt)	100
11	CY0002		cable support	1
11	FY0023		central adaptor	1

STANDARD

 CONTACT SHORT

 CONTACT LONG

PLASMA CUTTING

AUTOCUT S 125P



CE EN60974-7




CODE			
------	--	--	--

PA2260	6 m	19.7'	 CENTRAL
--------	-----	-------	--

PA2261	6 m	19.7'	 1/4 GAS
--------	-----	-------	--

TECHNICAL DATA		
----------------	--	--

 NO HF		
	0,7 kg	1.54 lb
V PEAK	500	
	5 bar	
	180 l/min	
X 60%	120A	
X 100%	90A	
	25÷35 mm	



AUTOCUT S 125P

	CODE			Ø			CONTACT		REF		
											
2	PC0179		long life			39,5 mm					2
3	PD0179-13		80 A	1,3 mm	0.51"	20 mm				-	10
3	PD0179-14		100 A	1,4 mm	.052"	20 mm				-	10
3	PD0179-15		120 A	1,5 mm	.059"	20 mm				-	10
4	PE0179		plasma diffuser			12,6 mm				-	2
5	PR0179		plasma electrode			24,6 mm					10
6	FH0979										10

CODE			
7	EA0223		10
7	PF0133		plasma torch head 1
7	PT0030		repair kit 1
9	TP0061		1
10	PH0361		power cable 6 m - 1/4 G 1

CODE			
10	PH0450		6 m - 1/4 G 1
10	QB0164		cover 1
11	CY0035		cable support 10
11	CY0036		ring 1
11	FY0023		central adaptor 1

STANDARD

 CONTACT SHORT

 CONTACT LONG

PLASMA CUTTING

AUTOCUT A 81P



CE EN60974-7




CODE			
------	--	--	--

PA0180	6 m	19.7'	 3/8 GAS
--------	-----	-------	--

PA0181	6 m	19.7'	 CENTRAL
--------	-----	-------	--

TECHNICAL DATA		
----------------	--	--

 HF		
 1 m	0,6 kg	1.32 lb
V PEAK	500	
 4 bar		
 155 l/min		
X 60%	80A	
X 100%	60A	
 20÷25 mm		



AUTOCUT A 81P

	CODE						CONTACT		REF	
										
2	PC0115				35,4 mm					2
3	PD0105-10		50 A	1,0 mm	.040"	13,3 mm			-	10
3	PD0105-12		80 A	1,2 mm	.045"	13,3 mm			-	10
4	PE0107		plasma diffuser						-	2
5	PR0109		plasma electrode		27 mm					10
6	FH0560									1

	CODE		
7	EA0125		10
7	PF0120		plasma torch head
7	PT0030		repair kit
9	TP0061		1
10	PH0132		6 m - 1/4 G

	CODE		
10	QB0097		cover (mt)
11	CY0002		cable support
11	FY0023		central adaptor
13	PH0130		6 m - 3/8 G

STANDARD

 CONTACT SHORT

 CONTACT LONG

PLASMA CUTTING

AUTOCUT A 101P



CE EN60974-7




CODE			
------	--	--	--

PA0110	6 m	19.7'	 M14x1
--------	-----	-------	--

PA0111	6 m	19.7'	 CENTRAL
--------	-----	-------	--

TECHNICAL DATA		
----------------	--	--

 HF		
 1 m	0,8 kg	1.76 lb
V PEAK	500	
 5 bar		
 180 l/min		
X 60%	100A	
X 100%	75A	
 25÷30 mm		



AUTOCUT A 101P

	CODE						CONTACT		REF	
										
2	PC0111					44,1 mm				2
3	PD0101-08		30 A	0,8 mm	.030"	13,7 mm			-	10
3	PD0101-11		60 A	1,1 mm	.043"	13,7 mm			-	10
3	PD0101-14		100 A	1,4 mm	.052"	13,7 mm			-	10
3	PD0101-17		130 A	1,7 mm	.066"	13,7 mm			-	10
3	PD0101-19		140 A	1,9 mm	.074"	13,7 mm			-	10
3	PD0101-30		gouging	3,0 mm	1/8"	13,7 mm			-	10
4	PE0101		plasma diffuser						-	2
5	PR0101		plasma electrode			22 mm				10
6	FH0562									10

	CODE			
7	EA0121		O-ring	10
7	PF0115		plasma torch head	1
9	TP0061			1
10	PH0143		6 m - 1/4 G	1
10	QB0097		cover (mt)	100

	CODE			
11	CY0035		cable support	1
11	CY0036		ring	10
11	FY0023		central adaptor	1
13	PH0142		6 m - M14X1	1

STANDARD

 CONTACT SHORT

 CONTACT LONG

AUTOCUT A 141P



CE EN60974-7




CODE			
------	--	--	--

PA0103	6 m	19.7'	 M14x1
PA0104	12 m	40'	

PA0145	6 m	19.7'	 CENTRAL
PA0146	12 m	40'	

TECHNICAL DATA		
----------------	--	--

 HF		
 1 m	0,8 kg	1.76 lb
V PEAK	500	
	5 bar	
	180 l/min	
X 60%	100A	
X 100%	75A	
	25÷30 mm	



PLASMA CUTTING




AUTOCUT AW 201P



CE EN60974-7


CODE			
PB0006	6 m	19.7'	 CENTRAL
PB0008	12 m	40'	

TECHNICAL DATA		
 HF		
 1 m	1,2 kg	2.65 lb
V PEAK	500	
	4 bar	
	50 l/min	
	2÷4 bar	
	1.45 l/min	
X 100%	200A	
	40÷50 mm	



AUTOCUT AW 201P

	CODE			Ø		↔	CONTACT		REF		
2	PC0126		long life			53 mm		●			2
3	PD0115-10		60 A	1,0 mm	.040"	18,5 mm		●		-	10
3	PD0115-12		70 A	1,2 mm	.045"	18,5 mm		●		-	10
3	PD0115-14		100 A	1,4 mm	.052"	18,5 mm		●		-	10
3	PD0115-16		130 A	1,6 mm	1/16"	18,5 mm		●		-	10
3	PD0115-18		150 A	1,8 mm	5/64"	18,5 mm		●		-	10
3	PD0115-20		200 A	2,0 mm	5/64"	18,5 mm		●		-	10
3	PD0115-30		plasma tip	3,0 mm	1/8"	18,5 mm		●		-	10
4	PE0114		plasma diffuser					●		-	2
5	CV0080										1
5	PR0118		plasma electrode			31,2 mm		●			10
6	FH0866							●			

	CODE			
7	EA0203		O-ring	10
7	PG0006		plasma torch head	1
9	TP0061			1
10	PH0058		6 m - 1/4 G	1
10	QB0048		cover (m)	100
11	FE1132			1
11	PT0024		central adaptor	1

CODE	REPAIR KIT INCLUDED IN THE BOX			
PT0008		consumables kit		1
PT0013		grease for plasma consumables		1

STANDARD

 CONTACT SHORT

 CONTACT LONG

PLASMA CUTTING




AUTOCUT CB 50P



CE EN60974-7

CODE			
PA1281	6 m	19.7'	 CENTRAL

TECHNICAL DATA		
 HF		
 1 m	0,6 kg	1.43 lb
V PEAK	500	
 5 bar		
 165 l/min		
X 60%	50A	
X 100%	40A	
 10÷15 mm		



AUTOCUT CB 100P

	CODE						CONTACT		REF	
										
2	PC0037		long life			44,1 mm				2
3	PD0026-11		60 A	1,1 mm	.043"	14,1 mm			1371	10
3	PD0026-13		100 A	1,3 mm	.051"	14,1 mm			1372	10
3	PD0026-16		130 A	1,6 mm	1/16"	14,1 mm			1373	10
3	PD0026-18		150 A	1,8 mm	5/64"	14,1 mm			1374	10
3	PD0026-24		plasma tip	2,4 mm	3/32"	14,1 mm				10
3	PD0026-30		plasma tip	3,0 mm	1/8"	14,1 mm			1375	10
4	PE0009		plasma diffuser						1377	2
5	PR0034		plasma electrode			22 mm			1376	10
6	FH0214									10

	CODE			
7	EA0131		O-ring	10
7	PF0037		plasma torch head	1
7	PT0030		repair kit	1
9	TP0061			1
10	PH0171		6 m - 1/4 G	1










	CODE			
10	QB0164		cover (m)	100
11	CY0035		cable support	1
11	CY0036		ring	10
11	FY0023		central adaptor	1
13	PH0174		6 m - 1/8 G	1

STANDARD

 CONTACT SHORT

 CONTACT LONG

PLASMA CUTTING



CENTRAL ADAPTORS



CODE			
------	--	--	--



CODE			
------	--	--	--



CODE			
------	--	--	--




CODE			
------	--	--	--



PLASMA CUTTING

FLOW METER




CODE	TIP HOLE		
CV0095	Ø 0,6 mm	ERGOCUT S 25K	1
CV0096	Ø 0,8 mm	ERGOCUT S 35K	1
CV0085	Ø 0,8 mm	ERGOCUT S 65/45/25	1
CV0088	Ø 1,0 mm	ERGOCUT S 75	1
CV0088	Ø 1,2 mm	ERGOCUT S 105	1
CV0088	Ø 1,5 mm	ERGOCUT S 125	1
CV0097	Ø 0,8 mm	ERGOCUT A 51	1
CV0087	Ø 1,2 mm	ERGOCUT A 81	1

CODE	TIP HOLE		
CV0088	Ø 1,4 mm	ERGOCUT A 101	1
CV0089	Ø 1,7 mm	ERGOCUT A 141	1
CV0090	Ø 1,7 mm	ERGOCUT A 151	1
CV0091	Ø 1,8 mm	ERGOCUT AW 201	1
CV0092	Ø 1,0 mm	ERGOCUT CB 50	1
CV0235	Ø 1,3 mm	ERGOCUT CB 100	1
CV0094	Ø 1,6 mm	PLASMA CB 150	1
CV0086	Ø 1,2 mm	PLASMA CB 70	1

CIRCLE CUTTING
ATTACHMENT



CODE		
CV0025	ERGOCUT S 25K	1
CV0025	ERGOCUT S 35K	1
CV0025	ERGOCUT S 25	1
CV0025	ERGOCUT S 45	1
CV0025	ERGOCUT S 65	1
CV0052	ERGOCUT S 75	1
CV0022	ERGOCUT S 105	1
CV0022	ERGOCUT S 125	1
CV0036	ERGOCUT A 51	1
CV0052	ERGOCUT A 81	1
CV0022	ERGOCUT A 101	1
CV0022	ERGOCUT A 141	1
CV0022	ERGOCUT A 151	1
CV0022	ERGOCUT AW 201	1
CV0036	ERGOCUT CB 50	1
CV0074	ERGOCUT CB 70	1
CV0022	ERGOCUT CB 100	1
CV0022	ERGOCUT CB 150	1
CV0036	PLASMA CB 50	1
CV0074	PLASMA CB 70	1
CV0022	PLASMA CB 100	1
CV0022	PLASMA CB 100 R.I.	1
CV0022	PLASMA CB 150	1
CV0022	PLASMA CB 150 R.I.	1



With Spike Minimum radius 40 mm



With Magnet Minimum radius 50 mm



Maximum radius 670 mm



PLASMA ELECTRODES



CODE				REF	
EA0200				AW201	10
PR0017		17,3 mm		CB 50 CB 50P	20103 10
PR0034		22 mm		CB 100 CB 100P CB 150 CB 150P	1376 10
PR0045		43 mm		CB 100 CB 150	1517 10
PR0063		17,8 mm		CB 70 CB 70P	1402 10
PR0064		34,8 mm		CB 70	1403 10
PR0065		32,5 mm		CB 50	1518-HF 10
PR0098		24,8 mm		S 65	10
PR0101		22 mm		A 101 A 101P A 141 A 141P	10
PR0105		17,8 mm		S 45 S 45P	10
PR0106		30,5 mm		S 25 S 25K S 5K S 45 S 65	10
PR0109		27 mm		A 81 A 81P	10

CODE				REF	
PR0110		21,8 mm		S 25 S 25K S 35K S 45 S 45P	10
PR0111		20,5 mm		A 151 A 151P	10
PR0115		39,5 mm		A 81	10
PR0116		43,1 mm		A 101 A 141 A 151	10
PR0117		23,7 mm		S 75 S 75P S 105 S 105P	10
PR0118		31,2 mm		AW 201 AW 201P	10
PR0119		36,2 mm		S 75	10
PR0120		39,5 mm		S 105	10
PR0150		23 mm		A 51	10
PR0151		38 mm		A 51	10
PR0179		24,6 mm		S 125	10
PR0245		43 mm		CB 100 CB 150	10
PR0279		33,6 mm		S 125	10

PLASMA DIFFUSERS



CODE			REF	
EA0201		O-ring included in PE0114	AW201	10
EA0202		O-ring included in PE0114	AW201	- 10
PE0007		plasma diffuser	CB 50 CB 50P CB 70 CB 70P	20101 2
PE0009		plasma diffuser	CB 100 CB 100P CB 150 CB 150P	1377 2
PE0101		plasma diffuser	A 101 A 101P A 141 A 141P	- 2
PE0103		plasma diffuser	A 101 A 101P A 141 A 141P A 151 A 151P	- 2

CODE			REF	
PE0106		plasma diffuser	S 25 S 25K S 35K S 45 S 45P S 65 S 65P	- 2
PE0107		plasma diffuser	A 81 A 81P	- 2
PE0112		plasma diffuser	S 75 S 75P S 105 S 105P	- 2
PE0114		plasma diffuser	AW 201 AW 201P	- 2
PE0179		plasma diffuser	S 125 S 125P	- 2



Vespel® is a trademark or registered trademark owned by du Pont de Nemours and Company or its affiliates.

PLASMA TIPS



CODE		A	Ø					REF	
PD0014-10		50 A	1,0 mm	.040"	26,1 mm		CB 50	1306	10
PD0015-10		50 A	1,0 mm	.040"	11,2 mm		CB 50 CB 50P	1304	10
PD0015-12		60 A	1,2 mm	.045"	11,2 mm				10
PD0019-08		40 A	0,8 mm	.030"	11,6 mm		CB 50 CB 50P		10
PD0019-10		50 A	1,0 mm	.040"	11,6 mm			20131	10
PD0019-12		60 A	1,2 mm	.045"	11,6 mm				10
PD0025-14		100 A	1,4 mm	.052"	34,9 mm		CB 100 CB 150		10
PD0025-16		130 A	1,6 mm	1/16"	34,9 mm				10
PD0025-18		150 A	1,8 mm	5/64"	34,9 mm				10
PD0026-11		60 A	1,1 mm	.043"	14,1 mm		CB 100 CB 100P CB 150 CB 150P	1371	10
PD0026-13		100 A	1,3 mm	.051"	14,1 mm			1372	10
PD0026-16		130 A	1,6 mm	1/16"	14,1 mm			1373	10
PD0026-18		150 A	1,8 mm	5/64"	14,1 mm			1374	10
PD0026-24		gouging	2,4 mm	3/32"	14,1 mm				10
PD0026-30		gouging	3,0 mm	1/8"	14,1 mm			1375	10
PD0028-13		100 A	1,3 mm	.051"	14 mm		CB 100 CB 150		10
PD0028-16		130 A	1,6 mm	1/16"	14 mm				10
PD0028-18		150 A	1,8 mm	5/64"	14 mm				10
PD0030-11		60 A	1,1 mm	.043"	35,7 mm		CB 100 CB 150	1369	10

PLASMA CUTTING

CODE		A	Ø					REF	
PD0063-10		50 A	1,0 mm	.040"	26,8 mm		CB 50 CB 70		10
PD0063-11		60 A	1,1 mm	.043"	26,8 mm				10
PD0063-12		70 A	1,2 mm	.045"	26,8 mm				10
PD0085-98		50 A	0,98 mm	.038"	26,2 mm		CB 50 CB 70	1366	10
PD0088-06		20 A	0,65 mm	.025"	12,3 mm		CB 50 CB 50P CB 70 CB 70P		10
PD0088-08		40 A	0,8 mm	.030"	12,3 mm				10
PD0088-10		50 A	1,0 mm	.040"	12,3 mm			1396	10
PD0088-11		60 A	1,1 mm	.043"	12,3 mm				10
PD0088-12		70 A	1,2 mm	.045"	12,3 mm			1308	10
PD0098-08		40 A	0,8 mm	.030"	17,7 mm		S 65 S 65P		10
PD0098-10		60 A	1,0 mm	.040"	17,7 mm				10
PD0101-08		30 A	0,8 mm	.030"	13,7 mm		A 101 A 101P A 141 A 141P	-	10
PD0101-11		60 A	1,1 mm	.043"	13,7 mm			-	10
PD0101-14		100 A	1,4 mm	.052"	13,7 mm			-	10
PD0101-17		130 A	1,7 mm	.066"	13,7 mm			-	10
PD0101-19		140 A	1,9 mm	.074"	13,7 mm			-	10
PD0101-30		gouging	3,0 mm	1/8"	13,7 mm			-	10
PD0102-08		30 A	0,8 mm	.030"	13,3 mm		S 45 S 45P	-	10
PD0102-10		50 A	1,0 mm	.040"	13,3 mm			-	10
PD0103-09		40 A	0,9 mm	.035"	25,8 mm		S 25K S 35K S 25 S 45	-	10
PD0103-65		20 A	0,65 mm	.025"	25,8 mm			-	10
PD0105-10		50 A	1,0 mm	.040"	13,3 mm		A 81 A 81P	-	10
PD0105-12		80 A	1,2 mm	.045"	13,3 mm			-	10
PD0106-12		80 A	1,2 mm	.045"	25,8 mm		A 81	-	10

PLASMA CUTTING

CODE		A	Ø					REF	
PD0122-12		70 A	1,2 mm	.045"	34,3 mm		S 105 S 105P	-	10
PD0150-08		30 A	0,8 mm	.030"	21,8 mm		A 51	-	10
PD0150-10		50 A	1,0 mm	.040"	21,8 mm			-	10
PD0151-08		30 A	0,8 mm	.030"	36,8 mm		A 51	-	10
PD0179-13		80 A	1,3 mm	0.51"	20 mm		S 125 S 125P	-	10
PD0179-14		100 A	1,4 mm	.052"	20 mm			-	10
PD0179-15		120 A	1,5 mm	.059"	20 mm			-	10
PD0198-08		40 A	0,8 mm	.030"	18 mm		S 65	-	10
PD0198-10		60 A	1,0 mm	.040"	18 mm			-	10
PD0199-16		gouging	1,6 mm	1/16"	17,7 mm		S 65	-	10
PD0279-13		80 A	1,3 mm	.051"	29 mm		S 125 S 125P	-	10
PD0279-14		100 A	1,4 mm	.052"	29 mm			-	10
PD0279-15		120 A	1,5 mm	.059"	29 mm			-	10
CODE			Ø					REF	
EA0404		O-ring included in PD0113					AW201		10
EA2085		O-ring included in PD0115							10

PLASMA CUTTING

CODE			Ø				REF	
PC0109					44,1 mm		A 101 A 101P	2
PC0111					44,1 mm			2
PC0113					42,3 mm		A 101	2
PC0114		CV0076 included			39,5 mm		S 75 S 75P	2
PC0115					35,4 mm		A 81 A 81P	2
PC0116		no ring			28 mm		S 25 S 45 S 45P	4
PC0117		1 ring			28 mm		S 25K	4
PC0118		long life			39,5 mm		S 105 S 105P	4
PC0119		long life			32 mm		S 105	2
PC0120		long life			50,9 mm		A 151 A 151P	2
PC0123		long life			50,4 mm		AW 201	2
PC0125		long life (CV0078 included)			53 mm		AW 201 AW 201P	2
PC0126		long life			53 mm			2
PC0130		long life			42,9 mm		A 101	2
PC0131		long life			50,9 mm		A 141 A 151	2
PC0135		2 rings			28 mm		S 35K	4
PC0150					39 mm		A 51	2
PC0151					54 mm			2
PC0179		long life			39,5 mm		S 125	2
PC0198					29 mm		S 65	2
PC0279					33 mm		S 125	2

PLASMA STAND OFF GUIDES



CODE				REF	
CV0008		32,5 mm	A 101 A 141 A 151 CB 100 CB 150	51957	10
CV0009		38,6 mm	S 105 A 101 A 141 A 151 CB 100 CB 150		10
CV0010		18,5 mm	S 45 S 65 CB 70	743,0149 0618	10
CV0011		23 mm	S 105 A 101 A 141 A 151 AW 201 CB 100 CB 150	1386	10
CV0012		30 mm	S 105 A 101 A 141 A 151 AW 201 CB 100 CB 150	1408	2
CV0013		33 mm	A 141 AW 201 CB 150	1406	2
CV0014		30 mm	S 105 A 101 A 141 A 151 AW 201		2
CV0021		40,6 mm	S 105 A 101 A 141 A 151 AW 201 CB 100 CB 150		1
CV0023		17,6 mm	A 101 A 141 A 151		10
CV0024		33 mm	S 25 S 25K S 35K S 45		1
CV0026		25,5 mm	S 75 A 81		2
CV0028		20,5 mm	S 75 A 81		10
CV0033		26 mm	S 75 A 81		2

CODE				REF	
CV0037		31 mm	A 51 CB 50		1
CV0038		17 mm	CB 100 CB 150	51930	10
CV0039		18,5 mm	A 101 A 141 A 151		2
CV0051		31 mm	S 75 A 81		1
CV0073		31 mm	CB 70		1
CV0083		21,8 mm	AW 201		1
CV0201		30 mm	A 81		1
CV0229		35,2 mm	S 125		2
CV0279		37,9 mm	S 125		2
CV0298		37,9 mm	S 65		2
CV0299			S65		2
CV1105		30 mm	A 151		10
CV1106		28 mm	A 151		10
CV1117		26 mm	CB 70	1405	2
CV1118		25,5 mm	S 65		2